

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS PO Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/577,463	09/28/2006	Jyrki Kauppinen	1028443-000073	5051	
21839 BUCHANAN	7590 10/16/200 INGERSOLL & ROO		EXAM	UNER	
POST OFFICE	BOX 1404	THE TE	RICHEY, SCOTT M		
ALEXANDRI	A, VA 22313-1404		ART UNIT PAPER NUMBER		
			2877		
			NOTIFICATION DATE	DELIVERY MODE	
			10/16/2008	ELECTRONIC	

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ADIPFDD@bipc.com

# Application No. Applicant(s) 10/577,463 KAUPPINEN, JYRKI Examiner Art Unit 2877 Soot M. Richey 2877 The MAIL ING DATE of this communication appears on the cover sheet with the correspondence address =

omoorkonon cummary	Examiner	Art Unit	1				
	Scott M. Richey	2877					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address							
Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILUNG D Extension of time may be available under the provisions of 37 CFR 11. and SSN (6) MOVETS from one mainty failed or the nonremovable of I NO period for reply is specified above, the maximum statutory period I NO period for reply with the set or extended period for reply with 19. Statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.70(4b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this of D (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 30 Ju	me 2008.						
	action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4)⊠ Claim(s) <u>1-13</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-13</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	r election requirement.						
Application Papers							
9) The specification is objected to by the Examine	•						
10)⊠ The drawing(s) filed on <u>27 April 2006</u> is/are: a)⊠ accepted or b) objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) ⊠ All b) □ Some * c) □ None of:							
Certified copies of the priority documents have been received.      Certified copies of the priority documents have been received in Application No							
Copies of the certified copies of the priority documents have been received in Application No      Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau	•	a in this reational	Otage				
* See the attached detailed Office action for a list		d.					
i i							
Attachment(s)  1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO.413)					
Notice of References Cited (P10-692)     Notice of Draftsperson's Patent Drawing Review (PT0-948)	Paper No(s)/Mail Da	ate					
	E) Mythou of Informal P	ots of Assillantium					

- Notice of Draftsperson's Patent Drawing Review (PTO-948)
   Information Disclosure Statement(s) (PTO/SE/CS)
   Paper No(s)/Mail Date \_\_\_\_\_\_\_.
- 5) Notice of Informal Patent Application.

  6) Other: \_\_\_\_\_\_

Art Unit: 2877

## DETAILED ACTION

### Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filled in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filled in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claim 10 is rejected under 35 U.S.C. 102(e) as being clearly anticipated by Manning (US 6,469,790 B1).

Manning discloses a method in an interferometer, comprising: guiding optical beams through use of at least two angle reflectors (70, 70-A), constituted by plane reflectors, by reflecting the optical beams off the at least two angle reflectors; and guiding the optical beams reflected from the at least two angle reflectors through use of at least one end reflector (80), constituted by plane reflectors, by reflecting the optical beams off the at least one end reflector, and wherein an angle line of the at least one end reflector is perpendicular to an angle line of both of the at least two angle reflectors ("mutually perpendicular").

Art Unit: 2877

### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-9 and 11-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kauppinen (US 6,075,598 A), hereinafter "Patent '598," in view of Manning.

As to claim 1, Patent '598 teaches an interferometer, as substantially shown in Fig.10, comprising: at least a beamsplitter (10); at least one end reflector for returning beams (11' and 11"); and a set of reflectors for reflecting the beams between the beamsplitter and the at least one end reflector (12, 13, and 14), said set of reflectors comprises a first and a second angle reflector, constituted by plane reflectors, and the first and the second angle reflector being rotatable around an axis (Configuration of Fig.10). While Patent '598 teaches that 11' and 11" are retroreflecting, the reference is silent to the end reflector comprising specifically a third angle reflector constituted by plane reflectors.

Art Unit: 2877

In exactly the same art of beam-splitting interferometers, Manning teaches, as substantially shown in Fig.20, a beamsplitter (32), right-angle reflectors (70, 70-A), and at least one end reflector (80), wherein said at least one end reflector is a third angle reflector constituted by plane reflectors, and an angle line of the at least one end reflector is arranged perpendicular to an angle line of both of the first and second angle reflector. Manning states that "[this configuration] may be used advantageously for known purposes which may include [...] optical subtraction." It would have been obvious to one of ordinary skill in the art at the time of invention to incorporate the roof mirror, as configured in the apparatus of Manning, within the apparatus of Patent '598 for the advantage of providing a four-port configuration which advantageously can be used in optical subtraction.

As to claims 2-4, 8, 12, and 13, Patent '598 further teaches the interferometer:

(Claim 2) wherein each of the angle reflectors is constituted by two plane reflectors (12-14, and 13-14), between which is provided an angle of about 72-107 degrees (right angle, i.e. 90°);

(Claim 3) wherein the beamsplitter and the at least one end reflector are mounted on a first rigid structure (Fig.5, 20), and the first and the second angle reflectors are mounted on a second rigid structure which is adapted to be rotatable around an axis (15):

(Claim 4) wherein said set of reflectors further comprises at least one pair of plane reflectors (While 14 is part of both sets, there are two sets of plane-reflector pairs: 12-14, and 13-14.);

Art Unit: 2877

(Claim 8) wherein at least some of the reflectors are produced by replication (Product-by-process claims are not limited to the manipulations of the recited steps, only the structure implied by the steps. As the structure is anticipated, as described above in the rejection of claim 1, so too is this limitation.);

(Claim 12) wherein each of the angle reflectors is constituted by two plane reflectors, between which is provided an angle of about 85-95 degrees (90°; see Fig.10); and

(Claim 13) wherein each of the angle reflectors is constituted by two plane reflectors, between which is provided an angle of about 90 degrees (See Fig.10).




FIG.10

As to claims 5-7, Patent '598 teaches exactly the configuration of the claims except for laterally shifting the beam at the end reflector by utilizing a perpendicularly disposed angle reflector. Instead, the reference utilizes an ordinary retroreflector. See Fig. 10, provided above. As discussed above, in the combination of Patent '598 in view

Art Unit: 2877

of Manning, elements 11' and 11" of Patent '598 would be replaced with roof mirrors such as those in Fig.20 of Manning (element 80). Manning uses the roof mirror to laterally shift the beam at the end reflector to produce two usable output interference beams. The combination would advantageously allow optical subtracting, or compensation of various modulations of the light.

It would have been obvious to one of ordinary skill in the art at the time of invention to utilize the roof mirror (80) of Manning within the apparatus (Fig.10) of Patent '598 for the advantage of allowing optical subtracting, or compensation of various modulations of the light.

As to claim 9, Patent '598 teaches first and second angle reflectors as discussed above. The plane surfaces are arranged in one solid body (Fig.5, 15; Fig.10, 12-14), such that each angle reflector is a right-angle reflector (Fig.10). Given its broadest reasonable interpretation, the three surfaces appear to anticipate the "four plane surfaces" from the claim. Firstly, elements 12-14 are at least functionally equivalent to the four plane surfaces as they are used as two separate angle reflectors within a rigid body, similar to the applicant's figures 4a-4c and 5a-5c. Secondly, the claim does not preclude the four plane surfaces from being shared or overlapping surfaces. Thirdly, the claimed surfaces omit their boundaries. In other words, the claim does not preclude the arbitrary naming of surface boundaries in the middle of element 14, thereby having in fact four different surfaces.

Art Unit: 2877

Should it be found that these interpretations are not valid, and Fig.10 does not anticipate four plane surfaces, the limitation is at the least obvious in view of other embodiments within the reference. Specifically, Fig.2, Fig.4, Fig.7, and Fig.8 all teach four separate plane surface reflectors for use as angle reflectors. Given that the reference teaches 90° reflectors in Fig.10, it would have been obvious to utilized the four separate plane surface mirrors of Figs. 2, 4, 7, and 8 for the configuration of Fig.10 as it has been held that combining known elements within a known apparatus to achieve predicted results is within the purview of one possessing ordinary skill, basic creativity, and common sense.

As to claim 11, Patent '598 teaches an analyzer, comprising: an interferometer (Fig.10) comprising at least a beamsplitter (10), at least one end reflector for returning beams (11', 11"), and a set of reflectors for reflecting the beams between the beamsplitter and the at least one end reflector (12-14), said set of reflectors comprises a first and a second angle reflector, constituted by plane reflectors, the first and the second angle reflector being rotatable around an axis (Fig.5, 15). While Patent '598 teaches that 11' and 11" are retroreflecting, the reference is silent to the end reflector comprising specifically a third angle reflector constituted by plane reflectors.

In exactly the same art of beam-splitting interferometers, Manning teaches, as substantially shown in Fig.20, a beamsplitter (32), right-angle reflectors (70, 70-A), and at least one end reflector (80), wherein said at least one end reflector is a third angle reflector constituted by plane reflectors, and an angle line of the at least one end

Art Unit: 2877

reflector is arranged perpendicular to an angle line of both of the first and second angle reflector. Manning states that "[this configuration] may be used advantageously for known purposes which may include [...] optical subtraction." It would have been obvious to one of ordinary skill in the art at the time of invention to incorporate the roof mirror, as configured in the apparatus of Manning, within the apparatus of Patent '598 for the advantage of providing a four-port configuration which advantageously can be used in optical subtraction.

### Response to Arguments

The applicant's arguments, see page 7 of the response filed 30 June 2008, with respect to the objection to the drawings have been fully considered. The examiner agrees with the applicant that the drawings are sufficiently clear and adequate for publication. The objection has been withdrawn.

The applicant's arguments, see page 9 of the response, with respect to the rejection of independent claims 1, 10, and 11 have been fully considered but are moot in view of the new grounds of rejection.

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Scott M. Richey whose telephone number is (571) 270-1296. The examiner can normally be reached on Monday - Thursday, 10:00 - 17:00 EST.

Art Unit: 2877

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Toatley can be reached on (571) 272-2059. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Scott M. Richey Patent Examiner Art Unit 2877 /Patrick J Connolly/ Primary Examiner, Art Unit 2877